[v18] L	ושפוי	A I I	VIOII	itoi		Г	atie	:IIL								`	Stai	tm	OHL	· · ·			_ 16	ar:_		
Q 1 Is the sign/behaviour of distress present? Q 2 Is it moderately affecting on the day? Q 3 Is it dominating the day? Score based on PACA. (Ellershaw J) If No, score 0; if Yes, go to next question If No, score 2; if Yes, score 3																										
Patie							distr	'ess	· (F	ΧΔΙ	/PI	=)-	arin	าลตะ	2.5											
DATE	13	14	15	16	17	18	19	20	21	22	23		25	26	27	28	29	30	30	1	2	3	4	5	6	7
3	///																									
2										,,																
1 0	H					///	1/1/		///		1	///		///					(*//		///		// //		///	
	<u> </u>		, , ,	137 37 3	1	186 43		1 St. 1	7	1.9.5	<i>* (</i>	13 8	,,,				18° 8° 3					W (15		<i> </i>		
DATE or																										
TIME																										
Patient sign or behaviour of distress:																										
3 2																										
1																										
0																										
Patie	Patient sign or behaviour of distress:																									
3																										
2 1																										
0																										
Patie	nt si	gn c	r be	hav	iour	of c	distr	ess	:																	
3																										
2 1																										
0																										
Patie	Patient sign or behaviour of distress:																									
3																										
2 1																										
0																										
Patie	nt si	an c	r be	havi	iour	of c	distr	ess	•																	
3																										
2																										
1 0																										
Patie	nt si	an c	r he	havi	iour	of c	lietr	229																		
3	110 31	911 6		nav.	Jui		JIJU																			
2																										
1 0																									 	
TOTA	\																									
1017	AL SO	ore																								

Context of distress signs and behaviours (write here any specific situations that caused distress)

Document Mark dow															th a	✓									
Patient si	ian (or be	ehav	/iou	r of	dist	tres	s: <i>(E</i>	ΞΧΑ	MPL	LE):	ari	mac	es											
DATE	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	1	2	3	4	5	6	7
Frequency	V																								
	✓	✓		√																					
	✓	✓	✓	✓		1																			
	✓	✓	✓	✓	✓	✓	✓	✓		✓		✓													
How long?	10	12	6	8	5	5	2	<1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
DATE																									
Patient sign or behaviour of distress:																									
	ign (or be	enav	/IOU	r ot	aisi	res	S:	Г	T	Г	r	T	T	T	T	T	T	T	T	T	T	T	Г	Т
Frequency																									
How long?																									
Patient si	ian d	or be	ehav	/iou	r of	dist	tres	s:																	
Frequency	Ĭ																								
How long?																									
Patient si	ign (or be	ehav	/iou	r of	dist	tres	s:																	
Frequency																									
How long?																									
Patient si	ign d	or be	ehav	/iou	r of	dist	tres	s:																	
Frequency																									
How long?																									
TOTAL																									
Total																									
frequency																									
Total																									
time																									

Start month:_

Year:

Context of distress signs and behaviours (write here any specific situations that caused distress)

[v16] **DisDAT Monitor**

Patient:_

v4

Disability Distress Assessment Tool (Monitoring Tool)



Edinburgh University (Matt Hayes), Northgate Palliative Care Team and St. Oswald's Hospice

Client's name:	DoB:	Page No:	Please affix patient
Unit/ward:	Gender:	NHS No:	addressograph here

Please complete at any times when you are concerned that the patient is distressed

This individual's signs and behaviours of contentment / distress are detailed on the first page of the DisDAT assessment sheet

Date	Time	Is Patient Content/ Distressed	distress in t	ns of severity and duration of these columns	Action Taken	Outcome			
Date	Tille	Distressed	Signs of Distress	Context of Distress					